


Product Description of Road Reinforcement Polyester Non Woven Geotextile

| | |
|---------------------|---|
| Item | Road Reinforcement Polyester Non Woven Geotextile |
| Raw Material | polyester fiber |
| Nonwoven Technology | Needle Punch |
| Grade | A grade |
| Dotted Design | Plain weave |
| Colors | White |
| Standard Width | 3.2m, could be cut into small width |
| Characteristics: | It owns high tensile strength,elongation,resistance to perforation and tear,lower shrinkage and strong affinity for bitumen. |
| Applications | Stablizing foundation and surface of highway,railway and airport; reinforcing highway and railway built on loose and soft foundation; reinforcing and protecting dike and dam; draining and reinforcing material for reclaiming seabeach and swamp. |

Product Show of Road Reinforcement Polyester Non Woven Geotextile

[China Geotextile Supplier](#)







Related Products of Polyester Non Woven

[Non Woven Geotextile Factory](#)



Product Packaging and Shipping of Road Reinforcement Polyester Non Woven Geotextile



Product Packaging and Shipping of Road Reinforcement Polyester Non Woven Geotextile

GUANGZHOU JUNQIAN NONWOVEN CO., LTD. is an enterprise located in Guangzhou city, Guangdong province, covering an area of 58500 square meters. Concurrently, it owns its special sales company - **FOSHAN GUIDE TEXTILE CO., LTD.**, which is located in Foshan city. We are engaging in manufacture and sales of non woven fabric and non woven related products, since 2005. Up to now, we have professional elite sales team, several advanced non woven production lines with width of 1.6M, 1.9M, 2.1M, 2.5M, 3.2M, etc. Our products are well sold both in domestic and overseas markets, widely used in areas of agriculture and gardening, medical and hygiene, personal care and beauty,

industry application, packaging and wrapping, foundation and building, hotel and restaurant, labour protection and household, decoration, etc.

We are Non Woven Geotextile manufacturer from China factory and our business is mainly to produce Non Woven Geotextile.

We have different styles of Road Reinforcement Polyester Non Woven Geotextile to meet your requirements.

We have strict quality management system, and equipped with professional non woven test. Our products meet various

of standards and own various of certificates and reports, such as SGS, MSDS, BUREAU VERITAS, CE, Nemko,

TüV Rheinland, ATC, CTI, etc. We can design and produce according to customer's requirements and specifications,

depending on the advanced technology and excellent management. Relying on many clients' trust, we are also offering

consultant and agency services on non woven products. With the business principle of "Quality First, Reputation Builds

Future", we keep on diligently and excelsior working, to improve marketing competitive abilities, and finally accomplish

company goal.



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

FAQ of Road Reinforcement Polyester Non Woven Geotextile

| Question | Answer |
|--|---|
| Q1: Do you have it in stock ? | A1: Yes,we have. |
| Q2: What is your MOQ ? | A2: Customized:1ton |
| Q3: How can I get the sample ? | A3: If you need sample to test, we can make it as per your request. But we need to charge sample fees. If it is our regular product in stock, you just pay freight cost and sample is free. |
| Q4: What is your package detail ? | A4: individually packed for each pcs,or customer's requirements |
| Q5: What should I do if I cannot find what I looking for on your website ? | A5: Please feel free to contact us by email and send detailed information for the product you look for.We will check whether it is available. |

| | |
|---|---|
| Q6: What about lead time for mass production ? | A6: Honestly, it depends on the order quantity and the season you place order. Generally speaking, the lead time is about 2-4 weeks. So we suggest that you start inquiry as earlier as possible. |
| Q7: Is it all right to make customer's own brand name ? | A7: Sure. We warmly welcome the OEM clients. We can discuss the package, design, etc. |
| Q8: When can I get the price ? | A8: Usually we quote within 24 hours after we get your inquiry detail. If you are very urgent to get the price, please call us or tell us in your email so that we will quote your the price as soon as possible. |